



MONTIFF INC

Don Tyson's Advanced Nutraceuticals



PROSTA-PRO-TECT

Prostate Health Formula for Men



Prosta-Pro-Tect is a unique prostate support formula containing a special mixture of potent antioxidants, which have been shown in medical studies to help protect the prostate gland from free radical damage, and help in BPH.

Each capsule of Prosta-Pro-Tect contains the following antioxidants in a proprietary formula for prostate support: Saw Palmetto Extract, Grape Skin Extract, Tomato Powder Extract, Cranberry Extract, Calcium D-Glucarate, Silymarin Extract, Broccoli Sprout Extract, Beta-sitosterol, Pumpkin seed Extract, Mixed Tocotrienols / Tocopherols, D-Alpha Tocopheryl Succinate, Campesterol, Quercetin, Stigmasterol, Alpha Lipoic Acid, Grape Seed Extract, Selenicereus Grandiflorus Powder, Gingko Biloba Extract, Selenomethionine, Bilberry Extract., Origanum Vulgare Extract.

RECOMMENDED TO ENHANCE STRUCTURE & FUNCTION RELATING TO NUTRITIONAL NEEDS AND DEFICIENCIES PERTAINING TO HELPING TO PROTECT PROSTATE HEALTH BY:

- Providing potent antioxidant support to protect against free radical damage & assist in detoxification.
- Supporting healthy prostate gland tissue by inhibiting potential carcinogenic activity.
- Enhancing immune function.

THE BENEFITS OF THE FOLLOWING INGREDIENTS TO SUPPORT PROSTATE HEALTH:

- **SAW PALMETTO EXTRACT:** Saw Palmetto Berry (a phytosterol) has steroid reductase inhibitor properties and creates antiandrogenic action; thereby inhibiting the enzyme, testosterone-5- α -reductase, which causes the enlargement of the gland.
- **BETA-SITOSTEROL:** Active ingredient found in the Saw Palmetto Berry. Enhances T cell activity and is efficacious in improving urinary symptoms and flow in BPH, by removing toxins.
- **PUMPKIN SEED EXTRACT:** has beneficial effects, and works synergistically with Saw Palmetto Berry for maximum results. It will also enhance the absorption of Lycopene.
- **BROCCOLI SPROUT EXTRACT:** Has high anticarcinogenic activities. Contains sulforaphane, which has been noted by researchers to lower the risk of many forms of cancer, including prostate cancer.
- **D-CALCIUM GLUCARATE :** A form of glucaric acid, a natural compound found in the body with detoxification properties. It helps by detoxifying harmful carcinogenic pesticides, such as DDT and Atrazine.
- **GRAPE SEED & GRAPE SKIN EXTRACT:** Have resveratrol (compound in grape skin & wine) which may protect healthy cells from chemotherapeutic activity. Polyphenols in grapes may induce apoptosis of prostate cancer cells. Also helps to increase Glutathione levels.
- **QUERCITIN:** A flavonoid that inhibits free radical damage to cells, and has anti-inflammatory properties, which may be beneficial for prostatitis.
- **SILYMARIN EXTRACT:** (from milk thistle plant) Hepatoprotectant – increases Glutathione in the liver and supports liver function. Helps detoxify the liver from, & protects against, tetrachloride & galactosamine. Contains silibinin, which may inhibit prostate carcinogenesis.
- **TOCOTRIENOLS/ Tocopherols (mixed):** Vitamin E suppresses androgen & antigen (PSA) receptors in prostate cancer. Tocotrienols are a special form of Vitamin E - with enhance free radical scavenging ability.
- **d-ALPHA TOCOPHERYL SUCCINATE:** Another important form of Vitamin E, which is adjunctive to radiation therapy and assists in apoptosis.
- **ORIGANUM VULGARE EXTRACT:** Contains the active phenolic compound, rosmarinic acid. It is an antioxidant with anti-inflammatory and cancerpreventative properties.

- **BILBERRY EXTRACT:** A flavonoid (member of blueberry family) with high antioxidant properties. It is a rich source of anthocyanin and has natural phytochemicals.
- **CRANBERRY EXTRACT:** Cranberries are flavonoids (a rich source of Quercetin) with antioxidant properties.
- **GINGKO BILBOA EXTRACT:** Has free radical scavenging properties.
- **SELENOMETHIONINE:** A chelate of Selenium and Methionine for better absorption. Selenium is an antioxidant with “free radical” terminators. It may reduce the risk of several chemically or virally induced cancers, including prostate cancer.
- **TOMATO EXTRACT:** Has high levels of Lycopene, a cancer-fighting compound, especially important for the prostate. Tomatoes also contain p-coumaric acid and cholorgenic acid to help block nitrosamine formation.
- **STIGMASTEROL:** A phytosterol with 5 alpha-reductase inhibitory activity.
- **CAMPESTEROL:** Phytosterol found to have beneficial results for BPH.
- **SELENICEREUS GRANDIFLORUS POWDER:** (Cactus Flower) May be beneficial for BPH, since it might inhibit lipid peroxidation, assists androgen amortization and testosterone reduction.
- **ALPHA LIPOIC ACID:** A potent antioxidant that helps prevent oxidative damage caused by free radicals. ALA also increases Glutathione production.

DIRECTIONS & RECOMMENDED PROTOCOLS FOR NUTRITIONAL PROSTATE SUPPORT

Men should have regular check-ups, including PSA tests, and if they have cancer they should follow other medical protocols as directed by their physician.

- **nutritional support for healthy men 40 and over:**

3 Prosta-Pro-Tect per day (1 with each meal)....

The following is also recommended:

Prost-8-Palmetto – 2 per day (1 with breakf., 1 with din.) • B-Complete – 3 per day (1 with each meal Vita-Minz Plus – 2 per day (1 with breakf., 1 with din.) • All-Basic amino acid formula - 2 per day (1 with breakfast, 1 with dinner) • Super C Plus – 1 per day

- **nutritional support for men with bph:**

5 Prosta-Pro-Tect per day (2 with breakfast, 1 with lunch and 2 with dinner)...

The following is also recommended:

Prost-8-Palmetto – 4 per day (1with breakfast, 2 with lunch and 1 with dinner) • B-Complete – 2 per day (1 with breakfast, 1 with dinner) • Vita-Minz Plus –3 per day (1 with breakfast., 1 with lunch, 1 with dinner) Super-C Plus - 2 per day (1 with breakfast, 1 with dinner) • Vaso-Lene – 3 per day (1 with meals)

- **nutritional support for men with prostate cancer:**

6 - 9 Prosta Pro-Tect per day (2-3 with each meal)...

The following is also recommended:

Prost-8-Palmetto – 3 per day (1with breakfast, 1 with lunch and 1 with dinner) • B-Complete – 3 per day (1 with each meal) • Vita-Minz Plus –4 per day (1 with brkf.,2 with lunch, 1 with dinner) • Super-E-Plus- 3 per day (1 with each meal) • Super C Plus - 3 per day (1 with each meal) • Glutathione Reduced – ½ tsp. per day (¼ tsp. at breakfast and ¼ tsp. at dinner)

***ALWAYS CONSUME 8-10 OUNCES OF BOTTLED WATER WITH EACH DOSE OF SUPPLEMENTS. DO NOT TAKE WITH MILK.**

CAUTION: THOSE TAKING THE DRUG COUMADIN SHOULD AVOID TAKING LARGE AMOUNTS OF GINGKO BILOBA. ALTHOUGH THIS PRODUCT CONTAINS ONLY A SMALL AMOUNT OF THIS ANTIOXIDANT, THE HEALTH PRACTITIONER SHOULD BE ADVISED RE: THIS INGREDIENT.

REFERENCES

*These statements have not been evaluated by the Food and Drug Administration. This information is not intended to diagnose, treat, cure or prevent any disease

- SHAPIRO, T., FAHEY, J., ET AL., "CHEMOPROTECTIVE GLUCOSINOLATES AND ISOTHIOCYANATES OF BROCCOLI SPROUTS: METABOLISM AND TREATMENT IN HUMANS", *CANCER EPIDEMIOL. BIOMARKERS PREV.*, 2002.
- TALALAY, P., FAHEY, J., "PHYTOCHEMICALS FROM CRUCIFEROUS PLANTS PROTECT AGAINST CANCER BY MODULATING CARCINOGEN METABOLISM.", *J. OF NUTR.*, 2001.
- BROOKS, J., PATON B., VIDANES G., "POTENT INDUCTION OF PHASE 2 ENZ. IN HUMAN PROSTATE CELLS BY SULFORAPHANE", *CANCER EPID., BIOMAKERS & PREV.*, SEPT. 2001.
- REDMAN, C, ET AL., "SELENIUM KILLS BREAST, PROSTATE AND MELANOMA CANCER CELLS, *CANCER LETT 1998, U OF ARIZ.*
- AMES, BRUCE, PROF. OF BIOCHEM. & MOLEC. BIOL., DIRECT. OF NAT. INST. OF ENV. HEALTH SCIENCE CENTER, U OF BERKLEY, "THE CAUSES AND PREVENTION OF CANCER", MARCH 1997.
- NOVAK, D, PHD, "APOPTOSIS AND CANCER: BASIC MECHANISMS AND THERAPEUTIC OPPORTUNITIES IN THE POSTGENOMIC ERA, *CONFERENCE REPORT OF AM. ASSOC. FOR CANCER RESEARCH MEETING: FEB, 2002.*
- THOMPSON, COLTMAN, CROWLEY, "CHEMOPREVEN. OF PROST. CAN.: THE PROST. CANC. PREV. TRIAL", *THE PROSTATE 1997*
- BERGES, WINDELER, ET AL., "RANDOMIZED, PLACEBO-CONTROLLED, DOUBLE-BLIND CLINICAL TRIAL OF BETA SITOSTEROL IN PATIENTS WITH BENIGN PROSTATIC HYPERPLASIA", *LANCET 1995.*
- JONES, RESENBLAT ET AL., "CACTUS FLOWER EXTRACT MAY PROVE BENEF. IN BPH DUE TO INHIB. OF 5<ALPHA> REDUCT. ACTIV., AROMATASE ACTIV. AND LIPID PEROXIDATION", *J UROLOG. RESEARCH, 1998.*
- CANCER.GOV "PROSTATE CANCER PREVENTION".
- GIOVANNUCCI, MD ET AL., "TOMATO PRODUCT INTAKE MAY REDUCE PROSTATE CANCER RISK", *J. NAT. CAN. INT. 2002.*
- JANG, M., CAI, L., UDEANI, G., SLOWING ET AL., "CANCER CHEMOPREVENTIVE ACTIVITY OF RESVERATROL, A NATURAL PRODUCT DERIVED FROM GRAPES," *SCIENCE 275 1997.*
- BERENQUER'S, M.D., ET AL., "POLYPHENOLS IN RED WINE INDUCE APOPTOSIS OF PROSTATE CANCER CELLS", *BJU 2002.*
- BOWEN, P., M.D., ET AL., "TOMATO SAUCE CONSUMPTION DECREASES DNA DAMAGE IN PROSTATE CANCER PATIENTS," *JOF NAT CANCER INST., DEC. 2001.*
- ZI X., AGARAL R., "SILIBININ DECREASE PROSTATE-SPECIFIC ANTIGEN WITH CELL GROWTH INHIB. VIA G1 ARRETS, LEADI. TO DIFFERENTIATION OF PROSTATE CARCINOMA CELLS: IMPLICA. FOR PROST. CANCER INTERVENTION", *PTOC NAT. ACAD. SCI. USA, JUNE 1999.*
- NESTKE, M. "BROCCOLI SPROUTS AS INDUCERS OF CARCINOGEN-DETOXIFYING ENZYME SYSTEMS: CLINICAL, DIETARY AND POLICY IMPLICATIONS," *PROC. NATL. ACAD. SCI., U.S.A. 1997.*
- ZHANG, Y., "ROLE OF GLUTATHIONE IN THE ACCUMULATION OF ANTICARCINOGENIC ISOTHIOCYANATES AND THEIR GLUTHATHIONE CONJUGATES BY MURINE HEPATOMA CELLS", *CARCINOGENESIS 21, 2000.*
- PACKER, LESTER, PH.D., COLMAN, C, THE ANTIOXIDANT MIRACLE, 1999.
- BEATTY, E., O'REILLY J, ENGLAND, ET AL., "EFFECT OF DIETARY QUERCETIN ON OXIDATIVE DNA DAMAGE IN HEALTHY HUMAN SUBJECTS", *BR. J. NUTR. 2000.*
- HAYASHI A., GILLEN A., LOTT, "EFFECTS OF ORAL ADMINST. OF QUERCETIN CHALCONE & MODIFIED CITRUS PECTIN", *ALT. MED. REV., 2000.*
- KUO S., LEAVITT, P., LIN C., "DIETARY FLAVONOIDS INTERACT WITH TRACE METALS AND EFFECT MELTALLOTHIONE LEVEL IN HUMAN INTESTINAL CELLS", *BIOL TRACE ELEM. RES. 1998.*
- GINTER, E. "THE ROLE OF ANTIOXIDANTS IN THE PREVENTION OF TUMORS", *BRATIS LEK LISTY 1995.*
- WISEMAN H., "DIETARY INFLUENCES ON MEMBRANE FUNCTION: IMPORTANCE IN PROTECTION AGAINST OXIDATIVE DAMAGE AND DISEASE", *J. NUTR BICHEM 1996.*
- SERBINOVE, E ET AL., "FREE RADICAL RECYCLING AND INTRAMEM. MOBILITY IN ANTIOXIDANT PROP. OF ALPHA-TOCOPHEROL AND ALPHA TOCOTRIENOL", *FREE RAD. BIOL AND MED. 1991.*
- YAH S., MD., ET AL. "VIT. E SUPPRESSES ANDROGEN RECEPTOR, PSA EXPRESSION IN PROSTATE CANCER", *REPORT FROM PROCEEDINGS OF THE NAT ACAD. OF SCI., MAY 2002.*
- ZU YHANG ET AL. (U. OF ROCHESTER, N.Y.), "VITAMIN E SUCCINATE INHIBITS THE FUNCTION OF ANDROGEN RECEPTOR & THE EXPRESSION OF PROSTATE-SPECIFIC ANTIGEN IN PROSTATE CANCER CELLS", *PNAS MAY 28, 2002.*
- DHARMANANDA, S. PHD., "HERBAL THERAPY FOR BENIGN PROSTATIC HYPERTROPHY", *INT. JOURN. FOF INTS. FOR TRAD. MED. & PREV. HEALTH CARE, MAY 2002.*
- HELZLSOUER K, ET AL., "ASSOCIATION BETWEEN ALPH-TOCOPHEROL, GAMMA TOCOPHEROL, SEENIUM AND SUBSEQ. PROSTATE CANCER", *J. OF THE NAT. CANCER INST. 2000.*
- SOSIN A., MD, JACOBS B., PHD., ALPHA LIPOID ACID, NATURE'S ULTIMATE ANTIOXIDANT, 1998.
- WITH NUTRITIONAL ANTIOXIDANTS, ESSENTIAL FATTY ACIDS AND COENZYME Q 10", *MOLECULAR ASPECTS OF MED., 1994.*
- TAPAB J, BASU ET AL., ANTIOXIDANTS IN HUMAN HEALTH AND DISEASE, 1999.
- KALIDASHETTY, K. JOURNAL OF SPICES AND MEDICINAL PLANTS, HAWORTH PRESS, INC. 2001.
- COLEMAN, C. ET AL., "EFFECT OF PHYTOSTEROLS ON QUALITY OF LIFE IN TREATM. OF BENIGN PROS. HYPERPL., *PHARM., 2002.*

MONTIFF, INC. 12/2002©